

The image features a dark background with several glowing, golden-yellow lines that intersect to form a series of geometric shapes, including triangles and quadrilaterals. The lines have a soft, ethereal glow. In the top right corner, there is a bright pink rectangular box containing the brand name 'FRENI'S' in a bold, white, sans-serif font, with the word 'Ceramic' in a smaller, white, sans-serif font directly below it. On the right side of the image, the text 'INTRICATE VEINS, ELEGANT AESTHETICS' is written in a golden-yellow, serif font. At the bottom right, the text 'CARVING SERIES' and '600X1200MM' is displayed in a white, sans-serif font.

**FRENI'S**  
Ceramic

INTRICATE  
VEINS, ELEGANT  
AESTHETICS

CARVING SERIES  
600X1200MM

## CARVING SERIES

Add a luxurious and aesthetic feel and look to your space with unique and artistic tiles with delicate veins all across. The veins in different colors reflect out beautiful and pristine textures.



ASPEN CREMA

CARVING SERIES  
600x1200MM





**ATLAS ALMOND**

**CARVING SERIES**  
**600x1200MM** 





ATLAS BIANCO

CARVING SERIES

600x1200MM 





ATLAS CHOCO

CARVING SERIES  
600x1200MM





ATLAS GREY

CARVING SERIES

600x1200MM 





**BOTTOCHINO**

**CARVING SERIES**  
**600x1200MM** 





CARVING SERIES

600x1200MM 

CEMENT PLASTO BIANCO





CEMENT PLASTO GREY

CARVING SERIES  
600x1200MM 





CROWN STATUARIO




CARVING SERIES  
600x1200MM





DESERT ALMOND

CARVING SERIES  
600x1200MM






CARVING SERIES

600x1200MM 

DESERT BIANCO

---





DESERT GREY

CARVING SERIES  
600x1200MM







CARVING SERIES

600x1200MM 

DESERT MOKA

---





**ELITE ALMOND**

**CARVING SERIES**  
**600x1200MM** 





ELITE CREMA

CARVING SERIES

600x1200MM





**ELITE GREY**

**CARVING SERIES**  
**600x1200MM** 





**FILLO BEIGE**

**CARVING SERIES**

**600x1200MM** 





GREY WILLIAM

CARVING SERIES  
600x1200MM 





CARVING SERIES

600x1200MM 

JASPER BIANCO

---





JASPER GREY

CARVING SERIES  
600x1200MM





LAURENCE BEIGE

CARVING SERIES

600x1200MM







LAURENCE GREY

CARVING SERIES

600x1200MM 





CARVING SERIES

600x1200MM 

LEONA BROWN

---





LEONA CREMA

CARVING SERIES  
600x1200MM





LEONA GREY

CARVING SERIES

600x1200MM





LEONA GRIS



CARVING SERIES  
600x1200MM





MARBLE TERA

CARVING SERIES  
600x1200MM





MARCO GREY

CARVING SERIES  
600x1200MM







MIRAR BLACK

CARVING SERIES

600x1200MM








MIRAR WHITE

CARVING SERIES  
600x1200MM





MONACO CREMA

CARVING SERIES

600x1200MM





MONOLITH BIANCO

CARVING SERIES  
600x1200MM 





MONOLITH GRIS

CARVING SERIES  
600x1200MM





MONTELO ALMOND

CARVING SERIES  
600x1200MM






MONTELO BIANCO

CARVING SERIES

600x1200MM





MONTELLO CREMA

CARVING SERIES  
600x1200MM





MONTELLO GREY

CARVING SERIES

600x1200MM





MYRA SAND

CARVING SERIES  
600x1200MM





CARVING SERIES

600x1200MM 

NEXONA ALMOND \_\_\_\_\_





NEXONA BIANCO

CARVING SERIES  
600x1200MM 





CARVING SERIES

600x1200MM 

NEXONA GRIS





---





SCOTTISH BROWN



CARVING SERIES  
600x1200MM





SCOTTISH CREMA


CARVING SERIES  
600x1200MM





TORINO WHITE

CARVING SERIES  
600x1200MM






**XTREME STATUARIO**

**CARVING SERIES**

**600x1200MM** 





**CARVING TILES**

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Surface quality	Min. 95% defect free	> 95%	ISO 10545-2
Colour difference	Unaltered	Unaltered	ISO-10545-16
Glossiness	> 90 GU	> 94 GU	Gloss meter 60°
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.20 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	> 35 N/mm <sup>2</sup>	> 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	> 1300 N	> 1800 N	ISO-10545-4
Impact resistance (COR)	>0.55	>0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	Declared class	Class PEI 3	EN 154
Surface scratch hardness (Mohs scale)	5	5	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	Test passed in accordance with test method	Pass	ISO-10545-12
Thermal shock resistance	Min. 10 cycle	Pass	ISO-10545-9
Moisture expansion	0.06mm/m	0.01mm/m	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10	Max. 6.5 x 10	ISO-10545-8
Crazing resistance	No damage	No damage	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance (COF)	Declared value	> 0.40 dry, <0.40 wet	ISO-10545-17
Reaction to fire	Class A1 or A1 fl	Class A1 - A1fl	N.A

**PACKING DETAILS**

Size	Thickness	pcs / box	m <sup>2</sup> / Box
600x1200mm	9.0mm (Approx)	2 pcs	1.44 Sq.Mtr.

