

**FRENI'S**  
Ceramic



**RUSTIC**

— SERIES —

600x1200mm



## RUSTIC

— SERIES —

Tiles that make a statement with nature-inspired textures, simple, versatile, and earthy colors. They reflect organic warmth with a modern contemporary look.



AZURE MOCK



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



600x1200mm



AZURE BIANCO

Randoms



-  UNALTERABLE TO UV RAYS
-  CHEMICAL ATTACK
-  LOW ABSORPTION
-  FAST ASSEMBLY



RUSTIC  
SERIES

600x1200mm



AZURE CREMA



UNALTERABLE  
TO UV RAYS




CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



Randoms



600x1200mm



AZURE GRIS

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

CEMENTO CREMA

Randoms



600x1200mm



CEMENTO GREY

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



CEMENTO GREY STONE



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION




FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



CEMENTO GREY TERRAZO



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



CEMENTO MOKA

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



CEMENTO NERO

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

RUSTIC  
SERIES



600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY

COTTON ALMOND

Randoms



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

COTTON BIANCO

Randoms



RUSTIC  
SERIES

600x1200mm



COTTON CREMA

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK





LOW  
ABSORPTION



FAST  
ASSEMBLY

**COTTON GREY**

Randoms




**RUSTIC**  
SERIES

600x1200mm



COTTON GRIS

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK





LOW  
ABSORPTION



FAST  
ASSEMBLY

## COTTON NERO

Randoms



600x1200mm



COTTON RUST

Randoms



UNALTERABLE  
TO UV RAYS




CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



COTTON VERDE

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION




FAST  
ASSEMBLY

GLACIER CREMA

Randoms



600x1200mm



GLACIER GREY

Randoms



UNALTERABLE  
TO UV RAYS




CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



GRANITE BIANCO



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



RUSTIC  
SERIES

600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

GRANITE GREY

Randoms



600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

LIME STONE GREY

Randoms



600x1200mm



LOMINO BEIGE

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



LOMINO BIANCO



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

LOMINO GREY

Randoms



600x1200mm



LOMINO SABBIA

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

MORELLA BIANCO

Randoms



600x1200mm



MORELLA BROWN



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY



Randoms



600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

MORELLA CREMA

Randoms




600x1200mm



**MORELLA GREY**

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY



600x1200mm



MOSAIC BROWN



UNALTERABLE  
TO UV RAYS




CHEMICAL  
ATTACK



LOW  
ABSORPTION




FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



MOSAIC GREY



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



OLGA BEIGE

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

OLGA GREY

Randoms



600x1200mm



OLGA GRIGIO



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY

OLGA RUST

Randoms



600x1200mm



ORION BIANCO

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

ORION BROWN

Randoms



600x1200mm



ORION CREMA

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



ORION GREY

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



RIVER STONE BEIGE



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



RUSTIC  
SERIES

600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY




RIVER STONE BROWN

Randoms




600x1200mm



**ROCK GREY**

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



600x1200mm



SLATE STONE NERO



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK





LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



RUSTIC  
SERIES

600x1200mm

RUSTIC  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION




FAST  
ASSEMBLY

STRATOS BIANCO

Randoms




600x1200mm



STRATOS GREY

Randoms



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY



RUSTIC  
SERIES

600x1200mm



ZENITH ALMOND



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

Randoms



600x1200mm



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK




LOW  
ABSORPTION



FAST  
ASSEMBLY

ZENITH BIANCO

Randoms



600x1200mm

**RUSTIC**  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

ZENITH BROWN

Randoms



600x1200mm

**RUSTIC**  
SERIES



UNALTERABLE  
TO UV RAYS



CHEMICAL  
ATTACK



LOW  
ABSORPTION



FAST  
ASSEMBLY

**ZENITH GREY**

Randoms



600x1200mm

**RUSTIC TILES**

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Surface quality	Min. 95% defect free	> 95%	ISO 10545-2
Colour difference	Unaltered	Unaltered	ISO-10545-16
Glossiness	> 90 GU	> 94 GU	Gloss meter 60°
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.20 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	> 35 N/mm <sup>2</sup>	> 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	> 1300 N	> 1800 N	ISO-10545-4
Impact resistance (COR)	>0.55	>0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	Declared class	Class PEI 3	EN 154
Surface scratch hardness (Mohs scale)	5	5	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	Test passed in accordance with test method	Pass	ISO-10545-12
Thermal shock resistance	Min. 10 cycle	Pass	ISO-10545-9
Moisture expansion	0.06mm/m	0.01mm/m	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10	Max. 6.5 x 10	ISO-10545-8
Crazing resistance	No damage	No damage	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance (COF)	Declared value	> 0.40 dry, <0.40 wet	ISO-10545-17
Reaction to fire	Class A1 or A1 fl	Class A1 - A1fl	N.A

**PACKING DETAILS**

Size	Thickness	pcs / box	m <sup>2</sup> / Box
600x1200mm	9.0mm (Approx)	2 pcs	1.44 Sq.Mtr.

**THANK YOU !**