



600 X 600 mm
Porcelain tiles

FRENI'S
Ceramic

SUGAR SERIES



7001

600 X 600 mm
Porcelain tiles




7001



7002

600 X 600 mm
Porcelain tiles





7003

600 X 600 mm
Porcelain tiles





7004

600 X 600 mm
Porcelain tiles





7005

600 X 600 mm
Porcelain tiles





7006

600 X 600 mm
Porcelain tiles





7007

600 X 600 mm
Porcelain tiles





7008

600 X 600 mm
Porcelain tiles





7009


600 X 600 mm
Porcelain tiles





7010

600 X 600 mm
Porcelain tiles





7011

600 X 600 mm
Porcelain tiles






7012

600 X 600 mm
Porcelain tiles





7013




7014

600 X 600 mm
Porcelain tiles





7015



7016

600 X 600 mm
Porcelain tiles





7017



7018

600 X 600 mm
Porcelain tiles





7019



7020

600 X 600 mm
Porcelain tiles





7021




7022

600 X 600 mm
Porcelain tiles






7023



7024

600 X 600 mm
Porcelain tiles





7025


600 X 600 mm
Porcelain tiles





7026

600 X 600 mm
Porcelain tiles





7027

600 X 600 mm
Porcelain tiles





7028



600 X 600 mm
Porcelain tiles



7029

600 X 600 mm
Porcelain tiles





7030

600 X 600 mm
Porcelain tiles





7031




600 X 600 mm
Porcelain tiles



7032

600 X 600 mm
Porcelain tiles





7033


600 X 600 mm
Porcelain tiles



7034

600 X 600 mm
Porcelain tiles





7035

600 X 600 mm
Porcelain tiles





7036



600 X 600 mm
Porcelain tiles



7037




600 X 600 mm
Porcelain tiles



7038

600 X 600 mm
Porcelain tiles





7039



7040

600 X 600 mm
Porcelain tiles






7041



7042

600 X 600 mm
Porcelain tiles





7043



7044

600 X 600 mm
Porcelain tiles





7045



7046



600 X 600 mm
Porcelain tiles



7047


600 X 600 mm
Porcelain tiles



7048

600 X 600 mm
Porcelain tiles





7049

600 X 600 mm
Porcelain tiles



7050

600 X 600 mm
Porcelain tiles





7051

600 X 600 mm
Porcelain tiles





7052



600 X 600 mm
Porcelain tiles



7053

600 X 600 mm
Porcelain tiles





7054

600 X 600 mm
Porcelain tiles



Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	±3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545- 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Nil	Nil	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note
Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase and laying as the company dose not accept responsibility once the tiles are laid.

PACKING DETAIL

Size	Thickness	No.OF Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28kg.

UTILITY OF FLOOR TILES

